

FILE NOTATIONS

Entered in N I D File _____
 Entered On S R Sheet _____
 Location Map Pinned _____
 Card Indexed _____
 I W R for State or Fee Land _____

Checked by Chief _____
 Copy N I D to Field Office _____
 Approval Letter _____
 Disapproval Letter _____

COMPLETION DATA:


Date Well Completed 9-15-53
 OW _____ WW _____ TA _____
 GW ☒ OS _____ PA _____

Location Inspected _____
 Bond released _____
 State of Fee Land _____

LOGS FILED

Driller's Log _____
 Electric Logs (No.) _____

E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____
 Lat _____ M-L _____ Sonic _____ Others _____




(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. **U-270**

U. S. 21-2100



ORIGINAL FORWARDED TO CASPER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 16

1953

Well No. **A-7** is located **1168** ft. from **S** line and **1718** ft. from **W** line of sec. **19**
SW **Sec. 19** **14S** **7E** **Salt Lake Basin**
 (4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Clear Creek **Barry** **Utah**
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **8235** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-15-53 : Rig skidded 16' West after abandonment of ^{surface} ~~surface~~ hole @ **549'**.

We propose to drill this well with rotary tools to an approximate T D of **5000'** and test for commercial gas production in the **Ferren** sand. If commercial production is found well will be completed in this zone.

Casing program: **280' - 10 3/4" O D, 32.78#, E-40, Sals. Casing, cemented to surface.**
5,000' - 7" O D, 23#, J-55, Sals, Corl.A, casing. This casing has a safety factor of 1 1/8 as per Jones & Laughlin specifications approved by the A P I.

(APPROVAL IS CONDITIONAL UPON COMPLIANCE WITH THE TERMS ATTACHED HERETO)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Three States Natural Gas Co.**


Address **P. O. Box 160**

Shelfield, Utah

Approved **See attached**

By **Harold Hawkins**


Title **District Superintendent**



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
ORIGINAL FORWARDED TO CASPER

Budget Bureau 42-RMA.2
Approval expires 12-31-53.
Land Office **Utah**
Lease No. **02740**
Unit **Paul T. Walton**



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

Notice of Intention to Run Casing

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 18, 1953

Well No. 1-K is located 1168 ft. from 1000 [S] line and 1718 ft. from 1000 [W] line of sec. 19
SW Sec. 19 11S 16E Salt Lake Base
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Clear Creek Emery Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 8535 ft. Ground

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)


Run 8 joints 10 3/4" OD, Casing measuring 249.06' Landed at 261.40' Cemented with 65 Sacks Bridget - 250 Sacks Common cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Three States Natural Gas Company
P. O. Box 160
Address Scottsbluff, Utah

Approved OCT 12 1953 for matters noted
George J. Bepko
Acty


By Signed - Harold Hawkins
Title District Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Utah**
Lease No. **0370**
Unit **Paul E. Walton**



ORIGINAL FORWARDED TO CASPER
SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	Subsequent Report of Running Casing

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 20,

1952

Well No. **245** is located **1168** ft. from **S** line and **1718** ft. from **W** line of sec. **12**

SW **Sec. 12** **1168** **7 & 8** **Salt Lake Base**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Clear Creek **Emery** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **6535** ft. **Ground**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Run 8 joints 10 3/4" OD, Casing measuring 219.06' - Landed at 261.40' Cemented with 40 sacks Bridget - 250 sacks Common Cement. Cement did not Circulate past 20 Sacks Beaver Dam and 31 Sacks Common Cement around top of Casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company **Utah States Natural Gas Company**
P. O. Box 160
Address **Scottsbluff, Utah**

Approved **OCT 12 1953**

George J. Biper
District Engineer

By **Signed - Harold Hawkins**

Title **District Superintendent**



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. U-01740

Unit P. T. Walton

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

Weekly Report Ending 7-27-53

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 27

19 53

Well No. 1 X is located 1168 ft. from S line and 1734 ft. from W line of sec. 19

Sec. 19 (1/4 Sec. and Sec. No.) T1S (Twp.) R7E (Range) Salt Lake Basin (Meridian)
Clear Creek (Field) Emery (County or Subdivision) Utah (State or Territory)

The elevation of the derrick floor above sea level is 8535 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilling at 1971'

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Three States Natural Gas Co.

Address P. O. Box 160

Scofield, Utah

By Harold Hawthorne

Title District Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. U-01740

Unit Paul T. Walton

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

Weekly report ending August 3, 1953

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 3, 1953

Well No. 1-X is located 1168 ft. from ~~NSW~~ [S] line and 1718 ft. from ~~NE~~ [W] line of sec. 19

~~SW~~ 19 Sec. 14S 7E Salt Lake Basing
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Clear Creek Emery Utah
(Field) (County or Subdivision) (State or Territory)


The elevation of the derrick floor above sea level is 8535 ft. Ground
8540 ft. KB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD: 2951'

Fishing for 11 Drill Callers at 2951', Preparing to go in hole at 7:00 AM August 3, 1953 W/over shot to catch fish, 9:00 AM caught same. Going in hole preparing to Drill.




I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Three States Natural Gas Company
P. O. Box 160
Address Scofield, Utah

By Harold Haukins

Title District Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. U-01740

Unit P. T. Nelson

UG 13 1953

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

Weekly Report Ending August 10, 1953

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 10,

1953

Well No. 1-K is located 1168 ft. from BOX line and 1718 ft. from W line of sec. 19

SW Sec. 19 11S 7E Salt Lake Basin
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Clear Creek Emery Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 8535 Ground
8540 ft. KB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 3614'


Drilling W/ no returns.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Three States Natural Gas Company
P. O. Box 160
Address Scofield, Utah

By Harold Fairman

Title District Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. **U-01740**

Unit **Paul T. Walton**

ORIGINAL FORWARDED TO

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

~~Weekly Report Ending August 17, 1953~~

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 17, 1953

Well No. **1-K** is located **1168** ft. from **[S]** line and **1718** ft. from **[W]** line of sec. **19**

Sec. 19
(Sec. and Sec. No.)

14S
(Twp.)

7E
(Range)

Salt Lake Base
(Meridian)

Clear Creek
(Field)

Emery
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is **8535** ft. **Ground**
8540 ft. **KB**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

ID: 4093'

Run 128 joints, 7" OD, 8rd. thd., 23.00#, Grade J-55, R-2, J&L API Sals., Casing, measured 4078.50'. 15.50' from KB to Casing Hanger, Casing set @ 4093' w/ 200 Sacks of Ideal Regular Cement. Plug down @ 9:05 PM on August 16, 1953.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Three States Natural Gas Company**

P. O. Box 160

Address **Scottsfield, Utah**


Approved **S. 20-53**

(Orig. Sgd.) **H. C. Seaville**

District Engineer

By **Harold Hawkins**

Title **District Superintendent**



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. U-01740

Unit P. T. Walton

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

Weekly Report Ending August 24, 1953

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 24, 1953

Well No. 1-X is located 1168 ft. from ~~100~~ {S} line and 1718 ft. from ~~100~~ {W} line of sec. 19

~~SW~~ Sec. 19 ~~14 S~~ 7 E Salt Lake Base
(Of Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Clear Creek Emery Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 8535 Gr
8540 ft. KB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

T. D. 4268'


Drilling, Gauged Well @ 4268' - 500 MCF

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Three States Natural Gas Company
P.O. Box 160
Address Scofield, Utah

By Harold Hawkins

Title District Superintendent



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. U-01740

Unit Paul T. Walton

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

Weekly Report Ending August 31, 1953

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 31, 1953

Well No. 1-X is located 1168 ft. from ☒ S line and 1718 ft. from ☒ W line of sec. 19

SW Sec. 19

(1/4 Sec. and Sec. No.)

11S

(Twp.)

7E

(Range)

Salt Lake Base

(Meridian)

Clear Creek

(Field)

Emery

(County or Subdivision)

Utah

(State or Territory)

The elevation of the derrick floor above sea level is 8535 Ground
8540 ft. KB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD: 4439'

Run 114 joints of 2 7/8" OD, up-set 8rd. thd., 6.50#, J-55; set at 4312.67'.
Shut in Well waiting on test. Tubing,

SEP 9 - 1953

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Three States Natural Gas Company

P. O. Box 160

Address Scofield, Utah

By Harold H. Harkins

Title District Superintendent

Survey Bulletin
(7-6, 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office

Lease No. U-01740

Unit Paul T. Walton

SEP 10 1953

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

Weekly Report Ending September 7, 1953

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 7, 1953

Well No. 1-X is located 1168 ft. from ~~XX~~ [S] line and 1718 ft. from ~~XX~~ [W] line of sec. 19

SW Sec. 19
(1/4 Sec. and Sec. No.)

14S
(Twp.)

7E
(Range)

Salt Lake Base
(Meridian)

Clear Creek
(Field)

Emery
(County or Subdivision)

Utah
(State or Territory)

The elevation of the derrick floor above sea level is 8535 ft. Ground KB

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD: 4439

Tearing Down Rig.
Moving to New Location.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Three States Natural Gas Company
P. O. Box 160
Address Scofield, Utah


By Harold Hawkins

Title District Superintendent


Form 9-390

U. S. LAND OFFICE Utah

SERIAL NUMBER U-01740
LEASE OR PERMIT TO PROSPECT



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



LOG OF OIL OR GAS WELL

LOCATE WELL CORRECTLY

Company **Three States Natural Gas Company** Address **P.O. Box 160 Seefield, Utah**
Lessor or Tract **Paul T. Walton # 1-X** Field **Clear Creek** State **Utah**
Well No. **1-X** Sec **19** T. **11S** R. **7E** Meridian **Salt Lake Base** County **Emery**
Location **1168** ft. **N** of **S** Line and **1716** ft. **E** of **W** Line of **Sec. 19** Elevation **8546 KB**
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed *Harold Van Dine*
Title **District Superintendent**

Date **September 15, 1953**

The summary on this page is for the condition of the well at above date.

Commenced drilling **July 16,** 19 **53** Finished drilling **August 28,** 19 **53**

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 4165' to 4170' G	No. 4, from 4269' to 4310' G
No. 2, from 4177' to 4190' G	No. 5, from 4319' to 4340' G
No. 3, from 4202' to 4206' G	No. 6, from 4358' to 4368' G
No. 1, from 4213' to 4215' G	No. 3, from 4375' to 4381' G
No. 2, from 4213' to 4215' G	No. 4, from 4397' to 4439' G

IMPORTANT WATER SANDS

CASING RECORD

Size casing	Weight per foot	Threads per foot	Make	Amount	Kind of pipe	Out and pulled from	Perforated		Purpose
							From	To	
10 3/4"	40.50#	8 rmd.		246.40'	Guide				Surface casing
7"	23.00#	8 rmd.		4078.50'	Outside				Prod. String

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10-3/4"	261.40'	250 Reg. Cement	Halliburton		
7"	4091'	65 Bridget	Halliburton		
		50 Beaver Cam			
		200 Reg. Cement			

PLUGS AND ADAPTERS

Length Depth set

PLUGS AND ADAPTERS

Length

Length

Depth set

Adapters Material

Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleared and

TOOLS USED

Rotary tools were used from 0 feet to 4439' feet, and from feet to feet
 Cable tools were used from feet to feet, and from feet to feet

DATES

September 15, 1953

Put to producing , 19

The production for the first 24 hours was barrels of fluid of which % was oil %
 emulsion; % water; and % sediment. Gravity, "Bé.

If gas well, cu. ft. per 24 hours 136,000 MCF Gallons gasoline per 1,000 cu. ft. of gas
~~Top~~ pressure, lbs. per sq. in. 1120

M. A. Sarsfield

, Driller

EMPLOYEES

JOHN JACKSON

, Driller

FRANK VETTER

, Driller

EARL. E. LOMAN

, Driller

Tool Pusher


FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Surface	650'	650'	Masuk Shale
650'	2450'	1800'	Emery Sandstone 593' EL
2450'	4075'	1625'	Blue Gate Shale
4075'	4439'	364'	Ferron Sandstone 4664 EL

Core in Ferron Sandstone
 NO EL HEWING 1 file

(OVER)

16-4004-2



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Form approved:
Budget Bureau No. 42-R356.5.

LAND OFFICE Utah
LEASE NUMBER _____
UNIT Clear Creek Unit

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Carbon & Emery Field Clear Creek

The following is a correct report of operations and production (including drilling and producing wells) for the month of September, 1975

Agent's address 1200 Lincoln Tower Bldg. Company Tenneco Oil Company
Denver, Colorado 80203 Signed [Signature]

Phone 292-9920 Agent's title Production Clerk

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
<u>SW SE</u> <u>8</u>	<u>14S</u>	<u>7E</u>	<u>1</u>			<u>Geo. W. Deck "A"</u>	<u>10,746</u>		<u>150</u>	<u>P</u>
						<u>T. F. Kearns Jr. "A"</u>				
<u>NW SW</u> <u>32</u>	<u>14S</u>	<u>7E</u>	<u>1</u>			<u>H. B. Walton</u>				<u>SI</u>
						<u>H. B. Walton</u>				
<u>NW NE</u> <u>17</u>	<u>14S</u>	<u>7E</u>	<u>1</u>			<u>9,803</u>			<u>150</u>	<u>P</u>
						<u>H. B. Walton "A"</u>				
<u>NE SW</u> <u>30</u>	<u>14S</u>	<u>7E</u>	<u>3</u>							<u>SI</u>
						<u>P. T. Walton</u>				
<u>SE SW</u> <u>19</u>	<u>14S</u>	<u>7E</u>	<u>1X</u>			<u>Utah Fuel</u>				<u>SI</u>
<u>SE SW</u> <u>5</u>	<u>14S</u>	<u>7E</u>	<u>1</u>							<u>SI</u>
<u>SW SW</u> <u>32</u>	<u>13S</u>	<u>7E</u>	<u>2</u>							<u>SI</u>
<u>NW SE</u> <u>32</u>	<u>13S</u>	<u>7E</u>	<u>3</u>							<u>P</u>
<u>SW SW</u> <u>30</u>	<u>13S</u>	<u>7E</u>	<u>4</u>							<u>SI</u>

NOTE.—There were _____ runs or sales of oil; _____ M cu. ft. of gas sold;

_____ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE Utah
LEASE NUMBER _____
UNIT Clear Creek Unit

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Carbon & Emery Field Clear Creek

The following is a correct report of operations and production (including drilling and producing wells) for the month of Dec., 19 75,

Agent's address 1200 Lincoln Tower Bldg. Company Tenneco Oil Company
Denver, Colorado 80203 Signed [Signature]

Phone 292-9920 Agent's title Production Clerk

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL NO.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (In thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline content of gas)
						<u>Geo. W. Deck "A"</u>				
<u>SW SE</u> <u>8</u>	<u>14S</u>	<u>7E</u>	<u>1</u>				<u>12,916</u>			<u>P</u>
						<u>T. F. Kearns Jr. "A"</u>				
<u>NW SW</u> <u>32</u>	<u>14S</u>	<u>7E</u>	<u>1</u>							<u>SI</u>
						<u>H. E. Walton</u>				
<u>NW NE</u> <u>17</u>	<u>14S</u>	<u>7E</u>	<u>1</u>				<u>12,153</u>			<u>P</u>
						<u>H. E. Walton "A"</u>				
<u>NE SW</u> <u>30</u>	<u>14S</u>	<u>7E</u>	<u>3</u>							<u>SI</u>
						<u>P. T. Walton</u>				
<u>SE SW</u> <u>19</u>	<u>14S</u>	<u>7E</u>	<u>1X</u>							<u>SI</u>
						<u>Utah Fuel</u>				
<u>SE SW</u> <u>5</u>	<u>14S</u>	<u>7E</u>	<u>1</u>							<u>SI</u>
<u>SW SW</u> <u>32</u>	<u>13S</u>	<u>7E</u>	<u>2</u>							<u>SI</u>
<u>NW SE</u> <u>32</u>	<u>13S</u>	<u>7E</u>	<u>3</u>							<u>P</u>
<u>SW SW</u> <u>30</u>	<u>13S</u>	<u>7E</u>	<u>4</u>							<u>SI</u>

NOTE.—There were _____ runs or sales of oil; _____ M cu. ft. of gas sold;

_____ runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LAND OFFICE Utah
LEASE NUMBER
UNIT Clear Creek Unit

LESSEE'S MONTHLY REPORT OF OPERATIONS

State Utah County Carbon & Beach Field Clear Creek

The following is a correct report of operations and production (including drilling and producing wells) for the month of March, 1977,

Agent's address 1200 Lincoln Tower Bldg. Company Fernoco Oil Company
Denver, Colorado 802 Signed [Signature]

Phone 292-9920 Agent's title Administrative Supervisor

SEC. AND 1/4 OF 1/4	TWP.	RANGE	WELL No.	DAYS Produced	BARRELS OF OIL	GRAVITY	CU. FT. OF GAS (If thousands)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	REMARKS (If drilling, depth; if shut down, cause; date and result of test for gas; content of gas)
						Geo. H. Deck "A"				
SW SE 8	14S	7E	1	28	0		11,286	0	0	P
						T. E. Hearn Jr. "A"				
NW SW 32	14S	7E	1	0	0		0	0	0	SI
						H. B. Walton				
NE NE 17	14S	7E	1	28	0		10,888	0	0	P
						H. B. Walton "A"				
NE SW 30	14S	7E	3	0	0		0	0	0	SI
						P. B. Walton				
SE SW 19	14S	7E	1X	0	0		0	0	0	SI
						Utah Fuel				
SE SW 5	14S	7E	1	0	0		0	0	0	SI
SW SW 32	13S	7E	2	0	0		0	0	0	SI
NW SE 32	13S	7E	3	0	0		0	0	0	P
SW SW 30	13S	7E	4		0		0	0	0	SI

NOTE.—There were no runs or sales of oil; 22,174 M cu. ft. of gas sold;

runs or sales of gasoline during the month. (Write "no" where applicable.)

NOTE.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPlicate
(Other Instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1421
5. LEASE DESIGNATION AND SERIAL NO.

U 01740

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. ☐ OIL WELL ☐ GAS WELL ☒ OTHER

SEP 22 1986

2. NAME OF OPERATOR

Cordillera Corporation

3. ADDRESS OF OPERATOR

5031 S. Ulster, Suite 410, Denver, CO 80237

4. LOCATION OF WELL. (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

SE/4 of SW/4 SEC 19; T14S; R7E
SLB & M

14. PERMIT NO.

43-015-16024

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

7. UNIT AGREEMENT NAME

Clear Creek

8. FARM OR LEASE NAME

P. T. Walton

9. WELL NO.

1-X

10. FIELD AND POOL, OR WILDCAT

Clear Creek

11. SEC., T., R., M., OR BLM. AND
SURVEY OR AREA

SEC 19; T14S; R7E
SLB & M

12. COUNTY OR PARISH

Emery

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETION

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well site covered by mud slide.
Located well.
Set bottom plug 4,000' to T.D. w/50 sx.
Set surface plug w/50 sx.
Refill mud slide.
Set permanent marker at top of slide.

OIL AND GAS	
DRN	RJF
JR3	GLH
DTG	SLS
1-TAS	
2-	MICROFILM
3-	FILE

18. I hereby certify that the foregoing is true and correct

SIGNED

Harry P. McClintock

TITLE Consultant

DATE 9/16/86

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

District Manager

DATE

9/18/86